Google scholar [function node runtime modif*] Search Advanced Scholar Search
Scholar Preferences

Scholar All articles Recent articles Results **1 - 10** of about **18,600** for **function node runtime modif***.

Architecture-based **runtime** software evolution- ▶ psu.edu [PDF]
P Oreizy, N Medvidovic, RN Taylor - Proceedings of the 20th international conference on ..., 1998 -
portal.acm.org
... that performs a single, well-defined **function** and may ... When a **runtime** change is required,
a reconfiguration manager ... in the quiescent state, a **node** is expected ...
Cited by 417 - Related articles - BL Direct - All 17 versions

[PDF] ▶ Graphic object layout with interactive genetic algorithms
T Masui - Proceedings of the 1992 IEEE Workshop on Visual ..., 1992 - sonycsl.co.jp
... layout system which allows interactive **runtime modification** of con ... considered to
be worse than an unbalanced **node**. ... value of the evaluation **function** when there ...
Cited by 62 - Related articles - View as HTML - All 11 versions

[PDF] ▶ SOS: A dynamic operating system for sensor networks
CC Han, RK Rengaswamy, R Shea, E Kohler, ... - Third International Conference on Mobile Systems, ..., 2005 -
ee.ucla.edu
... han- dle, a module can invoke direct **function** calls in ... of **nodes** from XBow and the
XYZ **nodes** from Yale [2 ... ability of SOS to dynamically load modules at **run-time**. ...
Cited by 83 - Related articles - View as HTML - All 5 versions

Dynamic variable ordering for ordered binary decision diagrams- ▶ ntu.edu.tw [PDF]
R Rudell - Proceedings of the 1993 IEEE/ACM international ..., 1993 - portal.acm.org
... Each **node** in the DAG represents a Boolean **function** F and has an associated variable
xi and pointers to ... **node** F thus represents the **function** F = xiG + %iH. ...
Cited by 823 - Related articles - BL Direct - All 9 versions

Q-ANTS-An Open Approach at Combining Interactive and Automated Theorem Proving
C Benzmüller, V Sorge - ... and automated reasoning: the CALCULEMUS-2000 ..., 2001 - books.google.com
... ify and load new agents at **run-time** or modify ... a A b together with a support **node**
containing a ... the underlying implementation, ie the **function** logic~ conjunction ...
Cited by 50 - Related articles - All 3 versions

Parallelizing the Mur   verifier
U Stern, DL Dill - Formal Methods in System Design, 2001 - Springer
... initial work and to "restart" a **node** that runs ... **Runtime** has been becoming a major
bottleneck in verification ... speedup of parallel Mur   as a **function** of the ...
Cited by 95 - Related articles - All 4 versions

A pre-**run-time** scheduling algorithm for hard real-time systems
T Shepard, JAM Gagne - IEEE Transactions on software engineering, 1991 - ieeexplore.ieee.org
... that the timing constraints will be observed at **runtime** ... on the development of a
pre-**run-time** scheduling algorithm ... In the tree, a **node** may be expanded into a ...
Cited by 48 - Related articles - All 7 versions

Paralex: An environment for parallel programming in distributed systems- ▶ cornell.edu [PS]
Ö Babaoglu, L Alvisi, A Amoroso, R Davoli, ... - Proceedings of the 6th international conference on ..., 1992 -
portal.acm.org

... The graphical representation for the multi- **function** itself is a **node** and that of the inputs and out- ... primitive multi-**function nodes** and may be further de- ...

Cited by 90 - Related articles - All 18 versions

Multi-level software reconfiguration for sensor networks- ▶ucla.edu [PDF]

R Balani, CC Han, RK Rengaswamy, I ... - Proceedings of the 6th ACM & IEEE International ..., 2006 - portal.acm.org

... severely constrained resources on a typical sensor **node**. ... where it is allocated dynamically at **run-time**. ... It performs two important **functions**: Admission control ...

Cited by 31 - Related articles - All 10 versions

ELF: an efficient log-structured flash file system for micro sensor **nodes**- ▶colorado.edu [PDF]

H Dai, M Neufeld, R Han - Proceedings of the 2nd international conference on ..., 2004 - portal.acm.org

... the interests of lowering **runtime** performance and ... file abstraction and physical **node** abstraction in ... occupied, the "open"/"create" **function** will return ...

Cited by 73 - Related articles - All 12 versions

Goooooooogle ▶

Result Page: 1 2 3 4 5 6 7 8 9 10   **Next**

| function node runtime modif* | Search |

Go to Google Home - About Google - About Google Scholar

©2009 Google